



**GMMMG High cost drugs pathway for psoriasis in adults: Outcomes and Monitoring Framework –
Version 1 January 2020**

Intervention	Target	Measure	Data source	Who measures	Frequency of reporting – in any financial year
Quality marker: Patient initiated on biologic therapy if PASI ≥10 and DLQI >10	<p>100% of patients should have disease severity score recorded at biologic initiation that reflects treatment as per pathway (this will be via an initiation or switch blueteq form)</p> <p>80% of patients should have disease severity score recorded within 4 months of biologic initiation.</p> <p>100% of patients at continuation month review should continue therapy only if disease shows an adequate response (defined as either 75% reduction in the PASI score from the start of treatment or a 50% reduction in the PASI score and a 5 point reduction in the DLQI from the start of treatment)</p>	<p>% of patients with disease severity score recorded at biologic initiation or switch</p> <p>% of patients with disease severity score recorded within 4 months of biologic initiation</p> <p>% of patients at the continuation review who continue therapy only if disease shows an adequate response</p>	Blueteq	SRFT	Annual – end of FY

Quality Marker: Patient continued on biologic therapy by standard disease severity assessment tool	80% of patients continuing biologic therapy should have a recent (within last 16 months) disease severity score and 95% within 18 months.	% of patients on continuing biologic therapy who have a recent (within last 16 months) disease severity score.	Blueteq	SRFT	Annual – end of FY
5 th or 6 th line biologic therapy will be subject to MDT approval at a tertiary centre with agreement from ≥ 3 consultants	100% of patients requiring 5 th or 6 th line biologic therapy will require approval through MDT at tertiary centre	% of patients requiring 5 th or 6 th line biologic therapy will require approval through MDT at tertiary centre. 5 th and 6 th line MDT switch form to be used	Blueteq	SRFT	Annual – end of FY
7 th line biologic therapy only to be accessed through IFR	100% of patients requiring 7 th line biologic therapy will require IFR approval	% of patients requiring 7 th line biologic therapy will require IFR approval	IFR	GM JCT	Bi-annually
Ensure the most cost effective long term biologic is used first line	At least 40% biologic naïve patients to be initiated a best value biologic (currently referenced price adalimumab)	% of initiation prescriptions in biologic naïve patients for each biologic	Blueteq	SRFT	Annual
To ensure the best value from medicines – uptake of biosimilar medicines in line with the agreed pathway	All patients considered for biosimilar medication All new patients initiated on biosimilar medication where licensed and commercially available 80% or greater of dispensed doses for infliximab, etanercept, adalimumab are for the biosimilar brand	Exception reporting – number of patients reviewed to switch to biosimilar but remain on originator product 100% of initiation prescriptions for biosimilar medication where available	Blueteq	SRFT	Quarterly

Measure efficacy of dose escalations	90% patients on escalated dose will be reviewed in dermatology clinic within 16 months and dose or duration escalation is captured via a continuation form	% of patients on continuing biologic therapy who have a comprehensive annual review which is coordinated by the dermatology service and efficacy of dose or duration escalation is captured	Blueteq	SRFT	Annual
--------------------------------------	--	---	---------	------	--------